

研究開発部門

Department of Research and Development

国際共同研究分野

Division of International Cooperative Research

教授（兼）	早川 芳弘	Prof. Yoshihiro Hayakawa
客員教授	Shao-Qing Cai	Visiting Prof. Shao-Qing Cai
客員教授	Rungpetch C. Sakulbumrungsil	Visiting Prof. Rungpetch C. Sakulbumrungsil
客員教授	Meselhy Ragab Meselhy Zayed	Visiting Prof. Meselhy Ragab Meselhy Zayed
客員教授	合田 幸広	Visiting Prof. Yukihiro Goda
客員教授	川原 信夫	Visiting Prof. Nobuo Kawahara
客員教授	紺野 勝弘	Visiting Prof. Katsuhiko Konno

◆研究目的及び概要

目覚ましい発展を遂げた現代西洋医学においても治療に難渋する疾患が多く、天然物を活用した伝統医学に関する研究成果や臨床効果に期待が寄せられている。伝統医学に関わる研究を高い水準で維持・発展させるためには、最新の研究方法論や天然物に関する情報交換が必要である。和漢医薬学総合研究所は天然物の研究を発展させるために、3カ国・4機関との間に国際協力拠点（ICC）を形成するとともに、8カ国・16機関と部局間協定を締結している。

国際共同研究分野は、各国の大学及び研究機関の研究者と連携して、伝統医学と現代医学を融合した国際共同研究を促進することを目的に、(1) タイ・チュラロンコン大学薬学部や中国・北京大学医学部薬学院との国際協力拠点を通じた国際共同研究の推進、(2) 大学間や部局間協定締結機関とのジョイントシンポジウム、学生交流を通じた国際共同研究の維持・発展を図っている。

◆原著論文

- 1) Kohyama A., Yokoyama R., Dibwe D.F., El-Mekkawy S., Meselhy M.R., Awale S., Matsuya Y.: Synthesis of guggulsterone derivatives as potential anti-austerity agents against PANC-1 human pancreatic cancer cells. *Bioorg. Med. Chem. Lett.*, 30(7):126964, 2020.
doi: 10.1016/j.bmcl.2020.126964.
- 2) Madi Y.F., Choucry M.A., El-Marasy S.A., Meselhy M.R., El-Kashoury E.A.: UPLC-Orbitrap HRMS metabolic profiling of *Cymbopogon citratus* cultivated in Egypt; neuroprotective effect against AlCl₃-induced neurotoxicity in rats. *J. Ethnopharmacol.*, 259:112930, 2020.
doi: 10.1016/j.jep.2020.112930.
- 3) Emad A.M., Ali S.F., Abdel-Rahman E.A., Meselhy M.R., Farag M.A., Ali S.S., Abdel-Sattar E.A.: Anti-inflammatory and antioxidant effects of *Apium graveolens* L. extracts mitigate against fatal acetaminophen-induced acute liver toxicity. *J. Food Biochem.*, e13399, 2020.
doi: 10.1111/jfbc.13399.
- 4) Huang S., Xu F., Wang Y.Y., Shang M.Y., Wang C.Q., Wang X., Cai S.Q.: Improvement and Application of Acute Blood Stasis Rat Model Aligned with the 3Rs (Reduction, Refinement and Replacement) of Humane Animal Experimentation. *Chin. J. Integr. Med.*, 26(4):292-298, 2020.
doi: 10.1007/s11655-014-2008-y.
- 5) Batsukh Z., Toume K., Javzan B., Kazuma K., Cai S.Q., Hayashi S., Atsumi T., Yoshitomi T., Uchiyama N., Maruyama T., Kawahara N., Komatsu K.: Characterization of metabolites in *Saposhnikovia divaricata* root from Mongolia. *J. Nat. Med.*, 75(1):11-27, 2021.
doi: 10.1007/s11418-020-01430-9.

- 6) Gegentana, Xu F., Li .F.C., Zhang Y.F., Shen S.J., Yang P., Yang X.X., Shang M.Y., Liu G.X., Li Y.L., XuanWang, Cai S.Q.: Discovery of the active compounds of Smilacis Glabrae Rhizoma by utilizing the relationship between the individual differences in blood drug concentration and the pharmacological effect in rats. *J Ethnopharmacol.*, 258:112886. doi: 10.1016/j.jep.2020.112886.
- 7) Liu G.X., Xu F., Shang M.Y., Wang X., Cai S.Q.: The Relative Content and Distribution of Absorbed Volatile Organic Compounds in Rats Administered Asari Radix et Rhizoma Are Different between Powder- and Decoction-Treated Groups. *Molecules*, 25(19):4441. doi: 10.3390/molecules25194441.
- 8) El-Sawi S.A., Ezzat S.M., Aly H.F., Merghany R.M., Meselhy M.R.: Neuroprotective effect of *Salvia splendens* extract and its constituents against AlCl₃-induced Alzheimer's disease in rats. *ADVANCES IN TRADITIONAL MEDICINE*, 20(3):381-393, 2020. doi: 10.1007/s13596-019-00421-w.
- 9) Li H.F., Li T., Yang P., Wang Y., Tang X.J., Liu L.J., Xu F., Shang M.Y., Liu G.X., Li Y.L., Wang X., Yin J., Cai S.Q.: Global Profiling and Structural Characterization of Metabolites of Ononin Using HPLC-ESI-IT-TOF-MS_n After Oral Administration to Rats. *J. Agric Food Chem.*, 68(51):15164-15175, 2020. doi:10.1021/acs.jafc.0c04247.
- 10) Liu L.J., Li H.F., Xu F., Wang H.Y., Zhang Y.F., Liu G.X., Shang M.Y., Wang X., Cai S.Q.: Exploring the In Vivo Existence Forms (23 Original Constituents and 147 Metabolites) of Astragali Radix Total Flavonoids and Their Distributions in Rats Using HPLC-DAD-ESI-IT-TOF-MS_n. *Molecules*, 25(23):5560, 2020. doi: 10.3390/molecules25235560.
- 11) Suwannaprom P., Suttajit S., Eakanunkul S., Supapaan T., Kessomboon N., Udomaksorn K., Sakulbumrungsil R.: Development of pharmacy competency framework for the changing demands of Thailand's pharmaceutical and health services. *Pharm. Pract (Granada)*., 18(4):2141, 2020. doi: 10.18549/PharmPract.2020.4.2141.
- 12) Tuntayothin W., Kerr S.J., Boonyakrai C., Udomkarnjananun S., Chukaew S., Sakulbumrungsil R.: Development and Validation of a Chronic Kidney Disease Prediction Model for Type 2 Diabetes Mellitus in Thailand. *Value Health Reg. Issues*, 24:157-166, 2021. doi: 10.1016/j.vhri.2020.10.006.
- 13) Hyuga S., Hyuga M., Amakura Y., Yangi J., Mori E., Hakamatsuka T., Goda Y., Odaguchi H., Hanawa T.: Effect of Ephedra Herb on Erlotinib Resistance in c-Met-Overexpressing Non-Small-Cell Lung Cancer Cell Line, H1993, through Promotion of Endocytosis and Degradation of c-Met. *Evid.-Based Complementary Altern. Med.*, 2020: 7184129, 2020. doi: 10.1155/2020/7184129.
- 14) Yoshida H., Usui A., Abe Y., Goda Y., Izutsu K.-i.: Relationship Between Geometric and Aerodynamic Particle Size Distributions in the Formulation of Solution and Suspension Metered-Dose Inhalers. *AAPS. PharmSciTech.*, 21(5):158, 2020. doi:10.1208/s12249-020-01675-3.
- 15) Uchiyama N., Hosoe J., Miura T., Sugimoto N., Ishizuki K., Yamada Y., Iwamoto Y., Suematsu T., Komatsu T., Maruyama T., Igarashi Y., Higano T., Shimada N., Goda Y.: Determination of Absolute Purities of Hygroscopic Substances by Quantitative NMR Analysis for the Standardization of Quantitative Reagents in the Japanese Pharmacopoeia (Part 1). *Yakugaku Zasshi*, 140(8):1063-1069, 2020. doi:10.1248/yakushi.20-00066.
- 16) Takechi-Haraya Y., Goda Y., Izutsu K.-i., Sakai-Kato K.: Instrument-Dependent Factors Affecting the Precision in the Atomic Force Microscopy Stiffness Measurement of Nanoscale Liposomes. *Chem. Pharm. Bull.*, 68(5):473-478, 2020. doi: 10.1248/cpb.c20-00067.
- 17) Miyazaki T., Kanno H., Yamamoto E., Ando D., Izutsu K.-i., Goda Y.: Cold Flow Evaluation in Transdermal Drug Delivery Systems by Measuring the Width of the Oozed Adhesive. *AAPS. PharmSciTech.*, 21(4):120, 2020. doi:10.1208/s12249-020-01661-9.
- 18) Miura T., Sugimoto N., Bhavaraju S., Yamazaki T., Nishizaki Y., Liu Y., Bzhelyansky A., Amezcua C., Ray J., Zailer E., Diehl B., Gallo V., Todisco S., Ofuji K., Fujita K., Higano T., Geletneky C., Hausler T., Singh N., Yamamoto K., Kato T., Sawa R., Watanabe R., Iwamoto Y., Goda Y.:

- Collaborative Study to Validate Purity Determination by ¹H Quantitative NMR Spectroscopy by Using Internal Calibration Methodology. *Chem. Pharm. Bull.*, 68(9):868-878, 2020.
doi:10.1248/cpb.c20-00336.
- 19) Ishii-Watabe A., Shibata H., Suetomo H., Ikeda Y., Telikepalli S., Kiyoshi M., Hayashi Y., Muto T., Tanaka Y., Ueda S., Iwura T., Saitoh S., Aoyama M., Harazono A., Hyuga M., Goda Y., Torisu T., Uchiyama S.: Recent Achievements and Current Interests in Research on the Characterization and Quality Control of Biopharmaceuticals in Japan. *J. Pharm. Sci.*, 109(5):1652-1661, 2020.
doi: 10.1016/j.xphs.2020.01.001.
 - 20) Hakamazuka T., Kamakura H., Watanabe J., katori Y., Matsumoto K., Ishimaru M., Morota T., Goda Y.: Bioequivalence Test between Kakkonto Extract Granules and Tablets in Healthy Volunteers. *Shoyakugaku Zasshi*, 74: 89-97, 2020.
 - 21) Goda Y.: Role and expected future development of the Japanese Pharmacopoeia. *Yakugaku Zasshi*, 140(6): 759-761, 2020. doi: 10.1248/yakushi.19-00253-1.
 - 22) Fujii I., Hashimoto M., Konishi K., Unezawa A., Sakuraba H., Suzuki K., Tsushima H., Iwasaki M., Yoshida S., Kudo A., Fujita R., Hichiwa A., Saito K., Asano T., Ishikawa J., Wakana D., Goda Y., Watanabe A., Watanabe M., Masumoto Y., Kanazawa J., Sato H., Uchiyama M.: Shimalactone Biosynthesis Involves Spontaneous Double Bicyclo-Ring Formation with 8 π -6 π Electrocyclization. *Angew. Chem. Int. Ed.*, 59(22):8464-8470, 2020.
doi: 10.1002/anie.202001024.
 - 23) Abe Y., Yamamoto E., Yoshida H., Usui A., Tomita N., Kanno H., Masada S., Yokoo H., Tsuji G., Uchiyama N., Hakamatsuka T., Demizu Y., Izutsu K.-i., Goda Y., Okuda H.: Temperature-Dependent Formation of N-Nitrosodimethylamine during the Storage of Ranitidine Reagent Powders and Tablets. *Chem. Pharm. Bull.*, 68(10):1008-1012, 2020.
doi: 10.1248/cpb.c20-00431.
 - 24) Yoshida K., Teppabut Y., Sawaguchi R., Nakane Y., Hayashi E., Oyama K.-i., Nishizaki Y., Goda Y., Kondo T.: 5,7,3',4'-Tetrahydroxyflav-2-en-3-ol 3-O-glucoside, a new biosynthetic precursor of cyanidin 3-O-glucoside in the seed coat of black soybean, *Glycine max.* *Sci. Rep.*, 10(1):17184, 2020. doi:10.1038/s41598-020-74098-6.
 - 25) Izutsu K.-i., Usui A., Yamamoto E., Abe Y., Yoshida H., Goda Y.: Effect of Complex Coacervation with Hyaluronic Acid on Protein Transition in a Subcutaneous Injection Site Model System. *Chem. Pharm. Bull.*, 68(11):1109-1112, 2020. doi: 10.1248/cpb.c20-00585.
 - 26) Uchiyama N., Hosoe J., Sugimoto N., Ishizuki K., Koide T., Murabayashi M., Miyashita N., Kobayashi K., Fujimine Y., Yokose T., Ofuji K., Shimizu H., Hasebe T., Asai Y., Ena E., Kikuchi J., Kiyota K., Fujita K., Makino Y., Yasobu N., Yamada Y., Iwamoto Y., Miura T., Mizui K., Asakura K., Suematsu T., Kohama A., Goda Y.: Absolute Purity Determination of a Hygroscopic Substance, Indocyanine Green, Using Quantitative NMR (qNMR). *Chem. Pharm. Bull.*, 69(1):118-123, 2021. doi:10.1248/cpb.c20-00728.
 - 27) Hirasawa Y., Agawa-Kakimoto M., Zaima K., Uchiyama N., Goda Y., Morita H.: Complandine F, a novel dimeric alkaloid from *Lycopodium complanatum*. *J. Nat. Med.*, 75(2):403-407, 2021.
doi: 10.1007/s11418-020-01476-9.
 - 28) Uchiyama N., Hosoe J., Miura T., Sugimoto N., Ishizuki K., Yamada Y., Iwamoto Y., Suematsu T., Komatsu T., Maruyama T., Igarashi Y., Higano T., Shimada N., Goda Y.: Determination of Absolute Purities of Hygroscopic Substances by Quantitative NMR Analysis for the Standardization of Quantitative Reagents in the Japanese Pharmacopoeia (Part 2). *Chem. Pharm. Bull.*, 69(1):26-31, 2021. doi:10.1248/cpb.c20-00296.
 - 29) Yamamoto E., Taquahashi Y., Kuwagata M., Saito H., Matsushita K., Toyoda T., Sato F., Kitajima S., Ogawa K., Izutsu K.-i., Saito Y., Hirabayashi Y., Iimura Y., Honma M., Okuda H., Goda Y.: Visualizing the spatial localization of ciclesonide and its metabolites in rat lungs after inhalation of 1- μ m aerosol of ciclesonide by desorption electrospray ionization-time of flight mass

- spectrometry imaging. *Int. J. Pharm.*, 120241, 2021. doi: 10.1016/j.ijpharm.2021.120241.
- 30) Yoshitomi T., Wakana D., Uchiyama N., Tsujimoto T., Kawano N., Yokokura T., Yamamoto Y., Fuchino H., Hakamatsuka T., Komatsu K., Kawahara N., Maruyama T.: Identifying the compounds that can distinguish between *Saposhnikovia* root and its substitute, *Peucedanum ledebourielloides* root, using LC-HR/MS metabolomics. *J. Nat. Med.*, 74(3):550-560, 2020. doi: 10.1007/s11418-020-01409-6.
 - 31) Arita M., Fuchino H., Kawakami H., Ezaki M., Kawahara N.: Characterization of a New Antienterovirus D68 Compound Purified from Avocado. *ACS. Infect. Dis.*, 6(8):2291-2300, 2020. doi: 10.1021/acsinfectdis.0c00404.
 - 32) Matsumoto T., Tanaka D., Yoshimatsu K., Kawano N., Kawahara N., Maki S., Yamamoto S., Niino T.: Application of cryobanking for *Platycodon grandiflorum* in vitro axillary buds using cryo-plate methods. *In Vitro Cell. Dev. Biol. Plant*, 2020. doi: 10.1007/s11627-020-10119-3.
 - 33) Yoshimatsu K., Kawano N., Nozaki K., Tsubota K., Kawahara N.: Development of efficient micropropagation system in *Cinnamomum cassia* Blume through plant tissue culture. *Aroma Res.*, 21 (3): 211-219, 2020.
 - 34) Yang L., Kirikoshi J., Sato D., Takasugi M., Hishida A., Hayashi S., Kawahara N., Mizukami M., Wu M., Yamagishi T., Arai H.: New isoflavone glucosides in yabumame (*Amphicarpaea bracteata* (L.) Fernald subsp. *edgeworthii* (Benth.) H. Ohashi var. *japonica* (Oliv.) H. Ohashi) and their effect on leukotriene B4 production in mast cells. *J. Nat. Med.*, 75(1):28-36, 2021. doi:10.1007/s11418-020-01439-0.
 - 35) Kawakami H., Fuchino H., Kawahara N.: Endotoxin Contamination and Reaction Interfering Substances in the Plant Extract Library. *Biol. Pharm. Bull.*, 43(11):1767-1775, 2020. doi: 10.1248/bpb.b20-00489.
 - 36) Nose M., Tsutsui R., Hisaka S., Akiyama H., Inui T., Kawano N., Hayashi S., Hishida A., Fuchino H., Kudo T., Kawahara N., Yoshimatsu K.: Evaluation of the safety and efficacy of *Glycyrrhiza uralensis* root extracts produced using artificial hydroponic and artificial hydroponic-field hybrid cultivation systems III: anti-allergic effects of hot water extracts on IgE-mediated immediate hypersensitivity in mice. *J. Nat. Med.*, 74(2):463-466, 2020. doi:10.1007/s11418-019-01378-5.
 - 37) Inui T., Kawano N., Araho D., Tamura Y., Kawahara N., Yoshimatsu K.: Development of selection method for *Glycyrrhiza uralensis* superior clones with high-glycyrrhizic acid contents using DNA sequence polymorphisms in glycyrrhizic acid biosynthetic genes. *Plant Biotechnology*, 38:1-9, 2021. doi: 10.5511/plantbiotechnology.21.0112a.
 - 38) Fuchino H., Murase S., Hishida A., Kawahara N.: Simultaneous UHPLC/MS quantitative analysis and comparison of *Saposhnikovia* constituents in cultivated, wild and commercial products. *J. Nat. Med.*, 2021. doi:10.1007/s11418-021-01486-1.
 - 39) Fuchino H., Iida O., Kawano N., Kawahara N., Yoshimatsu K.: One-pot discriminant LC/MS quantitative analysis of ephedrine and pseudoephedrine using Finger Masher and their distribution in the aerial stems of *Ephedra* plants. *J. Nat. Med.*, 2021. doi: 10.1007/s11418-021-01494-1.
 - 40) Rádís-Baptista G., Dodou H.V., Prieto-da-Silva Á.R.B., Zaharenko A.J., Kazuma K., Nihei K., Inagaki H., Mori-Yasumoto K., Konno K.: Comprehensive analysis of peptides and low molecular weight components of the giant ant *Dinoponera quadriceps* venom. *Biol. Chem.*, 401(8):945-954, 2020. doi:10.1515/hsz-2019-0397.