

# 薬物代謝工学

教 授 服 部 征 雄  
助 教 授 横 澤 隆 子  
助 手 宮 代 博 繼  
技 官 中 村 憲 夫

## ◆著書

- 1) 服部征雄, 中村憲夫: 抗HIV活性を有する伝統薬物. 『薬用植物・生薬開発の最前線』, 佐竹元吉監修, 株式会社シーエムシー, 東京, 2001, pp.299-320.
- 2) Yokozawa T.: Role of the Active Dan Shen Component, Magnesium Lithospermate B, in the Kidney. "Molecular Aspects of Asian Medicines", edited by A. Mori and T. Satoh, PJD Publications Ltd., New York, 2001, pp. 139-155.

## ◆原著

- 1) Tezuka Y., Terazono M., Kusumoto T., Hatanaka Y., Kadota S., Hattori M., Namba T., Kikuchi T., Tanaka K., and Supriyatna S.: Helicterins A-F, six new dimeric (7.5', 8.2')-neolignans from the Indonesian medicinal plant *Helicteres isora*. *Helv. Chim. Acta.*, 83:2908-2919, 2000.
- 2) Song S.J., Nakamura N., Ma C.M., Hattori M., and Xu S.X.: Five saponins from the root bark of *Aralia elata*. *Phytochemistry*, 56:491-497, 2001.
- 3) Ma C., Nakamura N., Min B., and Hattori M.: Triterpenes and lignans from *Artemisia caruifolia* and their cytotoxic effects on Meth-A and LLC tumor cell lines. *Chem. Pharm. Bull.*, 49:183-187, 2001.
- 4) Min B., Tomiyama M., Ma C., Nakamura N., and Hattori M.: Kaempferol acetylrhhamnosides from the rhizome of *Dryopteris crassirhizoma* and their inhibitory effects on three differentactivities of human immunodeficiency virus-1 reverse transcriptase. *Chem. Pharm. Bull.*, 49:546-550, 2001.
- 5) Zhao J., Yang X., and Hattori M.: Three new triterpene saponins from the seeds of *Aesculus chinensis*. *Chem. Pharm. Bull.*, 49: 626-628, 2001.
- 6) Meselhy R.M., Nishimoto E., Akao T.,

and Hattori M.: Transformation of shikonin by a cell-free extract of *Eubacterium* sp. A-44, a human intestinal bacterium. *J. Trad. Med.*, 18:58-63, 2001.

- 7) Ma C., Nakamura N., and Hattori M.: Inhibitory effects on HIV-1 protease of tri-p-coumaroylspermidine from *Artemisia caurifolia* and related amides. *Chem. Pharm. Bull.*, 49:915-917, 2001.
- 8) Abdel-Hafez A.A., Meselhy M.R., Nakamura N., and Hattori M.: New paeonilactone-A adducts formed by anaerobic incubation of paeoniflorin with *Lactobacillus brevis* in the presence of arylthiols. *Chem. Pharm. Bull.*, 49:918-920, 2001.
- 9) Abdel-Sattar E., Abdul-Aziz Al-Yahya M., Nakamura N., and Hattori M.: Penicilliosides A-C, C-15 oxypregnane glycosides from *Caralluma penicillata*. *Phytpchemistry*, 57:1213-1217, 2001.
- 10) Murakami T., Kishi A., Matsuda H., Hattori M., and Yoshikawa M.: Medicinal foodstuffs. XXIV. Chemical constituents of the processed leaves of *Apocynum venetum* L.: absolute stereostructures of apocynosides I and II. *Chem. Pharm. Bull.*, 49:845-848, 2001.
- 11) Min S., Gao J., Nakamura N., Kim Y., and Hattori M.: Cytotoxic alkaloids and a flavan from the bulbs of *Crinum asiaticum* var. *japonicus*. *Chem. Pharm. Bull.*, 49:1217-1219, 2001.
- 12) Gao J., Min B., Akao T., Meselhy R.M., Nakamura N., and Hattori M.: Enzyme immunoassay for the quantitative determination of ganoderic acid A from *Ganoderma lucidum*. *J. Trad. Med.*, 18:154-160, 2001.
- 13) Meselhy R.M., Nishimoto E., Akao T., and Hattori M.: Human intestinal *Bacteroides* spp. RHEIN-I and RHEIN-II capable of transforming rhein to rheinanthrone, induce rhein-dependent diarrhea in rats. *J. Trad. Med.*, 18:169-176, 2001.
- 14) Marpaung L., Nakamura N., Kakuda H., and Hattori M.: Absolute configuration of cipadesin and febrifugin from the seeds of *Cipadessa baccifera*. *Natural Med.*, 55: 220, 2001.

- 15) Nawawi A., Nakamura N., Meselhy M.R., Hattori M., Kurokawa M., Shiraki K., Kashiwaba N., and Ono M.: *In vitro* antiviral activity of *Stephania cepharantha* against herpes simplex virus type-1. *Phytother. Res.*, 15:497-500, 2001.
- 16) Min B., Kim Y., Tomiyama M., Nakamura N., Miyashiro H., Otake T., and Hattori M.: Inhibitory effects of Korean plants on HIV-1 activities. *Phytother. Res.*, 15:481-486, 2001.
- 17) Wang L., Meselhy M.R., Li Y., Nakamura N., Min B., Qin G., and Hattori M.: The heterocyclic ring fission and dehydroxylation of catechins and related compounds by *Eubacterium* sp. strain SDG-2, a human intestinal bacterium. *Chem. Pharm. Bull.*, 49:1640-1643, 2001.
- 18) Wang L., Min B., Nakamura N., Qin G., Li C., and Hattori M.: Cytotoxic mono-tetrahydrofuran ring acetogenins from leaves of *Annona montana*. *Planta Med.*, 67:847-852, 2001.
- 19) Quyang X., Takahashi K., Komatsu K., Nakamura N., Hattori M., Baba A., and Azuma J.: Protective effect of *Salvia miltiorrhiza* on angiotensin II-induced hypertrophic responses in neonatal rat cardiac cells. *Jpn. J. Pharmacol.*, 87:289-296, 2001.
- 20) Supinya T., Miyashiro H., Hattori M., Yoshinaga T., Fujiwara T., Tomimori T., Kizu H., and Miyaichi Y.: Inhibitory effects of flavonoids on human immunodeficiency virus type-1 integrase. *J. Trad. Med.*, 18, 229-238, 2001.
- 21) Yokozawa T., Fujii H., Kosuna K., and Nonaka G.: Effects of buckwheat in a renal ischemia-reperfusion model. *Biosci. Biotechnol. Biochem.*, 65:396-400, 2001.
- 22) Chen C.P., Yokozawa T., Sekiya M., Hattori M., and Tanaka T.: Protective effect of *Sanguisorbae Radix* against peroxynitrite-mediated renal injury. *J. Trad. Med.*, 18:1-7, 2001.
- 23) Yokozawa T., Chen C.P., and Hattori M.: Confirmation that Luobuma ameliorates the deterioration of antioxidant defense in senescence-accelerated mice. *J. Trad. Med.*, 18:27-32, 2001.
- 24) Yokozawa T., Nakagawa T., and Terasawa K.: Effects of Oriental medicines on the production of advanced glycation endproducts. *J. Trad. Med.*, 18: 107-112, 2001.
- 25) Huh J.I., Kim H.J., Kim J.W., Shim K.H., Kim Y.J., Lee K.H., Yokozawa T., Yu B.P., and Chung H.Y.: Influence of aging and dietary restriction on renal nitric oxide synthase. *Kor. J. Gerontol.*, 11:28-33, 2001.
- 26) Yokozawa T., Rhyu D.Y., and Owada S.: Increase of radical in rats with adenine-induced renal failure is suppressed by Wen-Pi-Tang. *J. Trad. Med.*, 18: 147-153, 2001.
- 27) Nakagawa T., Yokozawa T., and Terasawa K.: A study of Kampo medicines in a diabetic nephropathy model. *J. Trad. Med.*, 18:161-168, 2001.
- 28) Yokozawa T., Tanaka T., and Kimura T.: Examination of the nitric oxide production-suppressing component in *Tinospora tuberculata*. *Biol. Pharm. Bull.*, 24:1153-1156, 2001.
- 29) Hur J.M., Park S.J., Park J.G., Hwang Y.H., Park J.C., Yokozawa T., and Kim M. S.: Flavonoids from the leaves of *glycine max* showing anti-lipid peroxidative effect. *Nat. Product Sci.*, 7:49-52, 2001.
- 30) Yokozawa T., Nakagawa T., Wakaki K., and Koizumi F.: Animal model of diabetic nephropathy. *Exp. Toxic. Pathol.*, 53:359-363, 2001.
- 31) Yokozawa T., and Dong E.: Role of ginsenoside-Rd in cisplatin-induced renal injury: special reference to DNA fragmentation. *Nephron*, 89: 433-438, 2001.
- 32) Song Q.H., Toriizuka K., Iijima K., Yabe T., Yokozawa T., and Cyong J.C.: Effects of Hokoei-to (Pugongying-Tang), a Kampo formula, on monoamine content in brain regions and mitogenic activity of splenic lymphocytes in ovariectomized mice. *Am. J. Chin. Med.*, 29:433-443, 2001.

#### ◆ 総 説

- 1) Yokozawa T., and Chen C.P.: Evidence suggesting a nitric oxide-scavenging activity for traditional crude drugs, and action mechanisms of *Sanguisorbae Radix* against

oxidative stress and aging. J. Amer. Aging Assoc., 24:19-30, 2001.

#### ◆ 学会報告

- 1) 久保山友晴, 東田千尋, 趙 静, 服部征雄, 小松かつ子: Ashwagandhaエキス中の神経突起伸展成分の同定－Withanolide Aによる軸索伸展作用－. 日本薬学会第121年会, 2001, 3, 27-30, 札幌.
- 2) 横澤隆子, 柳 東泳, 藤井 創, 小砂憲一, 野中源一郎: ソバの抗酸化作用. 日本薬学会第121年会, 2001, 3, 27-30, 札幌.
- 3) 関谷倫子, 横澤隆子, 黒川昌彦, 服部征雄, 白木公康: インフルエンザウイルス感染モデルにおける温脾湯の役割. 日本薬学会第121年会, 2001, 3, 27-30, 札幌.
- 4) Atef A.Abdel-Hafez, 中村憲夫, 服部征雄: Biotransformation of phorbol by human intestinal bacteria. 日本薬学会第121年会, 2001, 3, 27-30, 札幌.
- 5) 孫 全忠, 中村憲夫, 角田広子, 馬 超美, 馮 挙, 陳道峰, 服部征雄: *Kadsura longipedunculate* の新リグナン成分及びそのHIV-1プロテアーゼ阻害作用. 日本薬学会第121年会, 2001, 3, 27-30, 札幌.
- 6) Hattori M.: Recent studies on bitter principles of *Ganoderma lucidum* -Isolation of new Ganoderma triterpenes, their biological activity and pharmakokinetics-. 2001, 4, Auckland, New Zealand.
- 7) Park J.C., Park J.G., Hur J.M., Hatano T., Yoshida T., Miyashiro H., and Hattori M.: Anti-HIV-1 protease activity of Korean plant resources and bioactive tannins. 11th World Congress of Food Science and Technology, 2001, 4, Seoul, Korea.
- 8) Park J.G., Hur J.M., Park J.C., Shin D., Park K.Y., Kim M.S., Miyashiro H., and Hattori M.: Inhibitory effects of extract and phenolic compounds from *Orostachys japonicus* on human immunodeficiency virus type 1 protease. 11th World Congress of Food Science and Technology, 2001, 4, Seoul, Korea.
- 9) Park J.G., Hur J.M., Rhyu D.Y., and Yokozawa T.: Radical-scavenging activity of some medicinal plants and phenolic compounds isolated from *Rosa rugosa* root on 1,1-diphenyl-2-picrylhydrazyl radical. 11th World Congress of Food Science and Technology, 2001, 4, Seoul, Korea.
- 10) Hattori M.: Application of biotechnology to the researches of traditional medicine. 2001 Nanjing International Symposium of Traditional Chinese Medicine and Pharmacy, 2001, 5, Nanjing China.
- 11) Hattori M.: Development of anti-viral agents from natural sources. 5th International Symposium of Research Institute of Oriental Medicine-Eastern and Western Medical Approaches on Intractable Diseases. 2001, 5, Kyong-Ju, Korea.
- 12) 中川孝子, 横澤隆子: 漢方方剤のAdvanced glycation endproducts (AGE) 形成抑制作用. 第44回日本腎臓学会学術総会, 2001, 5, 東京.
- 13) 柳 東泳, 横澤隆子: パーオキシナイトライト由来腎障害モデルを用いた温脾湯の検討. 第44回日本腎臓学会学術総会, 2001, 5, 東京.
- 14) Supinya Tewtrakul, 宮代博継, 服部征雄, 吉永智一, 藤原民雄, 富森 毅, 木津治久, 宮一諭起範: Inhibitory effects of flavonoids on human immunodeficiency virus type 1 (HIV-1) integrase. 日本薬学会北陸支部第104回例会, 2001, 6, 金沢.
- 15) 横澤隆子: 腎障害に対する地榆の役割と機序. 第7回天然薬物研究方法論アカデミー, 2001, 8, 大府.
- 16) 中川孝子, 横澤隆子, 寺澤捷年, 服部征雄: 糖尿病性腎症における漢方方剤の作用. 第18回和漢医薬学会大会ミニシンポジウム, 2001, 8, 富山.
- 17) 石田あい, 横澤隆子, 中川孝子, 服部征雄: 循環障害における黄連の役割: エンドトキシンショック並びに高脂血症モデルを用いた検討. 第18回和漢医薬学会大会, 2001, 8, 富山.
- 18) Yokozawa T., Rhyu D.Y., and Kim D.W.: A study of buckwheat in a renal ischemia-reperfusion model. Proceedings of the VIII International Symposium on Buckwheat, 2001, 8, Chunchon, Korea.
- 19) 服部征雄: 腸内嫌気性菌による反応の特色とその利用. 日本生薬学会第48回(2001年)年会, 2001, 9, 金沢.
- 20) 趙 静, 中村憲夫, 服部征雄, 東田千尋, 小松かつ子: Five new withanolide derivatives from the roots of *Withania somnifera*. 日

- 本生薬学会第48回（2001年）年会, 2001, 9, 金沢.
- 21) Yokozawa T.: The role of the active Dan Shen component, magnesium lithospermate B, in the kidney. 3rd International Congress of Nephrology on Integrated Traditional Chinese and Western Medicine. 2001, 9, Shanghai, China.
  - 22) 中川孝子, 横澤隆子, 寺澤捷年 : 糖尿病性腎症における漢方方剤の役割. 第13回腎とフリーラジカル研究会, 2001, 9, 和歌山.
  - 23) Kim H.Y., Yokozawa T., Cheigh H.S., and Choi J.S.: Antioxidant effect of isorhamnetin 3,7-di-O- $\beta$ -D-glucopyranoside from mustard leaves (*Brassica juncea*) on oxidative stress in streptozotocin-induced diabetic rats. 第13回腎とフリーラジカル研究会, 2001, 9, 和歌山.
  - 24) Hattori M.: Biotransformation of epicatechin 3-O-gallate and epigallocatechin 3-O-gallate by human intestinal bacteria. 2001 International Conference on O-CHA (tea) Culture and Science, 2001, 10, Shizuoka.
  - 25) Yokozawa T., Nakagawa T., Shu S., and Juneja L.R.: Protective effects of green tea polyphenols against renal disease. 2001 International Conference on O-CHA (tea) Culture and Science, 2001, 10, Shizuoka.
  - 26) 服部征雄 : 和漢薬成分の代謝 : 最近の進歩. 第22回和漢薬研究所特別セミナー, 2001, 10, 富山.
  - 27) Hattori M.: Metabolic activation of pro-estrogenic substances by human intestinal bacteria. International Symposium on Strategic Goals of Pharmacognostical Studies During the 21st Century, 2001, 10, Beijing.
  - 28) Min B., Gao J., Hattori M., Kim Y., Bae K., Kim J., Kwon O., Oh S., Lee H.: Anti-complement of terpenoids from the spores of *Ganoderma lucidum*. 韓薬学会, 2001, 10, 淑明.
  - 29) Min B., Gao J., Ahn E., Nakamura N., Hattori M., Lee H.: New triterpene aldehydes, lucialdehydes A-C, from *Ganoderma lucidum* and their cytotoxicity against murine and human tumor cells. 韓薬学会, 2001, 10, 淑明.
  - 30) Park J.C., Hur J.M., Park J.G., Hwang Y.H., Choi D.R., Jung D.Y., Kim M.S., Kim S.N., Choi J.W., and Yokozawa T.: Antihepatotoxic activity and phytochemical study on *Rosa davurica*. International Symposium on Pharmaceutical Sciences Commemorating the 50th Anniversary of the Pharmaceutical Society of Korea, 2001, 10, Seoul, Korea.
  - 31) Park J.C., Rhyu D.Y., and Yokozawa T.: Inhibitory effects of *Rosa rugosa* and *Zanthoxylum piperitum* on DPPH radical and their bioactive constituents. Korean Society of Medicinal Crop Science International Symposium 2001, 2001, 11, Daejeon, Korea.
  - 32) 条美智子, 中村憲夫, 小松かつ子, 服部征雄, 黒川昌彦, 白木公康 : 抗HSV活性を指標とした中国少数民族薬物の探索. 日本薬学会北陸支部第105回例会, 2001, 11, 金沢.
  - 33) Hattori M.: Chemical and biological evaluation of the fruiting bodies of *Ganoderma lucidum*. The 8th International Symposium for Development of Advanced Materials from Resources Plants, 2001, 11, Kwangju, Korea.
  - 34) Park J.C., Hyun K.H., Rhyu D.Y., and Yokozawa T.: Potent radical-scavenging compounds isolated from *Rosa davurica* on DPPH radical. International Symposium on Food, Nutrition and Health for 21st Century, 2001, 12, Seoul, Korea.
- ◆ その他
- 1) 服部征雄 : 最近の靈芝研究. 富山漢方会, 2001, 6, 富山.
  - 2) 服部征雄 : エイズウイルスに効く伝統薬物をもとめて. 第6回和漢薬研究所夏期セミナー, 2001, 8, 富山.
  - 3) Yokozawa T., Rhyu D.Y., and Kim D.W.: A study of buckwheat in a renal ischemia-reperfusion model. Advances in Buckwheat Research, 583-586, 2001.
  - 4) Chung H.Y., Soung D.Y., Kye I.S., Shim K.H., Kim Y.J., and Yokozawa, T.: Green tea tannin: potent peroxy nitrite-scavengers. Proceedings of International Forum on Traditional Medicine, 201-212, 2001.
  - 5) 横澤隆子 : 老化促進モデルマウス (SAM) を用いての薬用人参サポニンRdの評価. The GIN SENG REVIEW, No.29, 5-8, 2001.
  - 6) 横澤隆子 (代表) : 抗酸化物としての羅布麻の探索. 文部科学省科学研究費補助金 (基盤研究C)

研究成果報告書, 2001, 3.

- 7) 横澤隆子(分担): 老化・老年病に対する栄養学的・薬理学的・分子遺伝学的手法による干渉に関する総合的研究. 厚生科学研究費補助金長寿科学総合研究事業研究成果報告書, 2001, 3.

## 恒常機能解析

客員教授 渡部烈

### ◆ 研究概要

シトクロムP-450(CYP)依存的な医薬品の体内動態に及ぼす和漢薬成分の影響を分子レベルで明らかにする。

1. ヒトにおける代表的CYP分子種の大腸菌中での発現
2. ヒトCYPによる医薬品代謝の阻害作用を示す和漢薬成分の検索
3. ヒトCYP阻害作用を示す和漢薬成分の単離・構造解析

### ◆ 原著

- 1) Hiratsuka A., Tobita K., Saito H., Sakamoto Y., Nakano H., Ogura K., Nishiyama T. and Watabe T.: (S)-Preferential Detoxification of 4-Hydroxy-2(E)-nonenal Enantiomers by Hepatic Glutathione S-transferase Isoforms in Guinea-pigs and Rats., Biochem. J., 355, 237-244 (2001).

### ◆ 学会報告

- 1) 原田朋和, 高橋愛愁, 小倉健一郎, 渡部烈: 植物エストロゲン daidzein のヒト sulfotransferase による硫酸抱合反応. 日本薬学会第121年会, 2001, 3/28-3/30, 札幌.
- 2) 大沼友和, 西山貴仁, 小倉健一郎, 渡部烈: ヒト UDP-glucuronosyltransferase 分子種による cis- 及び trans-4-hydroxytamoxifen のグルクロン酸抱合. 日本薬学会第121年会, 2001, 3/28-3/30, 札幌.
- 3) 斎藤博, 平塚明, 渡部烈: 4-Hydroxy-2(E)-nonenal エナンチオマーのラット Clone 9 細胞に対する細胞毒性とアポトーシス誘導効果. 日本薬学会第121年会, 2001, 3/28-3/30, 札幌.
- 4) 中野浩明, 平塚明, 渡部烈: ラット嗅覚器官グルタチオン転移酵素分子種とその役割. 日本薬学会第121年会, 2001, 3/28-3/30, 札幌.
- 5) 斎藤博, 平塚明, 渡部烈: 4-Hydroxy-2(E)-nonenal エナンチオマーのラット Clone 9 細胞に対する細胞毒性. 第28回日本トキシコロジー学会学術年会, 2001, 6/10, 東京.
- 6) 渡部烈: トキシコネティクス / 遺伝子工学 / MS によるソリブジン薬害発生メカニズムの解明. 第28回 BMS コンファレンス, 2001, 7/8, 三重.