**Recrystallization of Water in a Non-Water-Soluble Polymer Examined by
Fourier Transform Infrared Spectroscopy:
Poly(2-methoxyethylacrylate) with Low Water Content**

Makoto Gemmei-Ide* and Hiromi Kitano*

*Department of Environmental Applied Chemistry, Graduate School of Science and Engineering,
University of Toyama, Gofuku 3190, Toyama 930-8555, Japan*

Tel: +81-76-445-6868; Fax: +81-76-445-6703

e-mail: (H.K.) kitano@eng.u-toyama.ac.jp; (M.G.-I.) ide@eng.u-toyama.ac.jp

Abstract

Crystallization of water during heating, so-called “recrystallization of water”, in poly(2-methoxyethylacrylate) (PMEA) was investigated by temperature-variable Fourier transform infrared spectroscopy. Recrystallization in a polymer–water system is generally understood to be phase transition from glassy water (condensed water) to crystalline water. However, infrared spectral changes of the PMEA–water system with low water content indicated that the formation of ice I_h during heating occurred by a vapor deposition process rather than by a crystallization process.

Key Words

Infrared Spectroscopy / Phase Transition / Recrystallization / Solid Polymer / Water

Crystallization of water occurs not only during cooling but also during heating: the latter is frequently called “recrystallization” (or “cold crystallization”). Recrystallization temperature, T_R , of water (hyperquenched glassy water, HQGW) has been reported to be ~ 150 K.¹ Aqueous solutions are also recrystallizable and their T_R s are usually higher than that of HQGW. In the case of a high concentration, recrystallization can be easily observed without a special technique such as preparation of HQGW.^{1,2} in various aqueous solutions such as glycerol, sucrose, polyvinylpyrrolidone, and poly(ethylene glycol) aqueous solutions.³ The most cases reported are aqueous solutions, i.e., binary systems composed of a water-soluble solute and water.

Recrystallization of water in a non-water-soluble polymer, poly(2-methoxyethylacrylate) (PMEA), was recently demonstrated by Tanaka et al. using differential scanning calorimetry.⁴ They reported that recrystallization of water in PMEA occurred in the water content region of 3.0–9.0 wt% at ~ 220 K, and they called the recrystallized water “intermediate water” or “freezing bound water”.^{4,5} Intermediate water is water having a specialized structure of a hydrogen-bonding network at the physiological temperature. PMEA, on the other hand, is also known to be an excellent platelet compatible material.⁶ The research group of Tanaka concluded that intermediate water played an important role in the expression of platelet compatibility.⁵

The aim of this study was not to clarify the structure of recrystallizable water and the correlation of platelet compatibility with water structure. The primary goal was to determine whether recrystallization of water in a non-water-soluble polymer is physicochemically the same as that in aqueous solutions. A general explanation for recrystallization in aqueous solutions is that glassy water, i.e., solid water without crystalline form, crystallizes during heating.³ Recrystallization of water in a PMEA matrix has also been recognized to be a phase transition from glassy water to ice during heating.^{4,5}

In this study, recrystallization of water in a PMEA matrix was investigated by Fourier transform infrared spectroscopy. Different to the generally accepted process of recrystallization in an aqueous solution, results of infrared spectroscopy clearly indicated that the majority of recrystallized water in a PMEA matrix was not formed from glassy water. The term “re-vapor-deposition”⁷ might be more appropriate than the term “recrystallization” for the process of ice formation in PMEA during heating.

The spectrum of water sorbed into PMEA (water content of 3.2 wt%) at 298 K is shown in Figure 1. A comparison with liquid water indicates that the majority of sorbed water might be water hydrated to the polymer chain via hydrogen bonding (HB): liquid water has a main peak at 3400 cm^{-1} and a shoulder at 3250 cm^{-1} , whereas the sorbed water has a main peak at 3593 cm^{-1} and three shoulders at 3500 , 3420 , and 3280 cm^{-1} . The higher two and lower two components might be attributed to water hydrated to ester and ether groups, respectively.⁸ At present, it is not clear whether the lower two components include a component from condensed water, but even if it exists, its amount should be small because the absorptivity of fully-hydrogen-bonded water is greatly enhanced compared with that of monomolecular water.⁹

The spectral responses of sorbed water by a thermal perturbation (298 K $\leftrightarrow$ 170 K) at cooling rates of 5.0 and 0.25 K·min⁻¹ are shown in Figures 2 and 3, respectively. Heating rate for the spectral responses in both figures was 0.5 K·min⁻¹. Figure 4 shows results for pure water at cooling and heating rates of 0.5 K·min⁻¹. The values of A_{3590} and A_{3280} (bottom panels in the figures) are used as indicators for monomolecular water hydrated to the polymer chain and condensed water (ice I_h), respectively. The value of A_{3280} might have a double origin (the hydrated water and condensed water) as mentioned above, which indicates that the value of A_{3280} cannot directly give the exact ratio of the two types of water. However, as seen in the case of pure water (Figure 4), the ice formation can be decided from the discontinuous change in the value of A_{3280} at phase transition and the appearance of a shoulder centered at 3150 cm⁻¹.

Rapid Cooling (5.0 K·min⁻¹, Figure 2). In the cooling process, the absorptive intensities in the lower wavenumber region nonlinearly increased as seen in the contour map and the value of A_{3280} . The spectra of sorbed water in all T regions were quite different to ice I_h , which showed no ice formation. The nonlinear increase indicates a change in relative ratios of the hydration species. This is supported by a synchronism of nonlinear decrease in the value of A_{3590} .

In the heating process, a complex change occurred. In two T regions of 170–211 K and 267–298 K, the spectra were traceable with those in the cooling process. In the T region of 211–267 K, an ice-like spectrum appeared. This is the so-called “recrystallization of water”. A general explanation for this is that glassy water formed by rapid cooling crystallizes upon heating.^{3–5} However neither spectra for glassy water¹⁰ nor spectra for low-density liquid water¹¹ were obtained. Moreover, the value of A_{3280} at 235 K might be too much large even if liquid water existed at 298 K and this water recrystallized. The rate of increase in A_{3280} of pure water from 298 K (liquid) to 235 K (ice) is only 267% (Figure 4), whereas it is 720% in the present case. This much larger increase can be explained by crystal growth via the deposition of water monomolecularly dispersed in the polymer matrix. In other words, the ice formed by recrystallization in PMEA is not generated from glassy water. The synchronized change in A_{3590} supports this assumption. Crystal growth (increase in A_{3280}) began at 211 K, suggesting that the diffusion of sorbed water was suppressed below 211 K.

Slow Cooling (0.25 K·min⁻¹, Figure 3). In contrast to the above case, a drastic change occurred during cooling: the spectral profile in the lower wavenumber region below 211 K was just that of ice I_h . The value of A_{3280} gradually increased and the rate of increase abruptly became large at 230 K and then became small below 211 K. This indicates that a part of sorbed water freezes below 230 K. As in the case of recrystallization after rapid cooling, the increase in A_{3280} synchronized with the decrease in A_{3590} , suggesting that crystallization and recrystallization were the same, i.e., association of monomolecular water. In addition, the rate of increase in A_{3280} of 114% from 211 K to 170 K was very similar to that of ice, 112%. Thus, the increase in A_{3280} below 211 K does not indicate crystal growth of ice but T dependence of A_{3280} of ice and suggests again suppression of the diffusion of water molecules below 211 K.

In the heating process, recrystallization occurred again. Starting T of it was 211 K, the same as that at the rapid cooling rate. The manner of change in A_{3590} was also the same: it synchronized with the increase in A_{3280} . These results show that the recrystallization observed here also is the association of monomolecular water and that this recrystallized water might correspond to water remained as monomolecular water, which does not crystallize due to the faster cooling rate than the condensing rate. In the case of rapid cooling, most of the sorbed water might be remaining water. Therefore, if cooling rate is very slow, no recrystallization of water should occur.

Vapor Deposition and Re-vapor-deposition. As stated above, the ice formation in the PMEA matrix is induced by the association of monomolecular water molecules. Thus, “crystallization” or “recrystallization” might not be a suitable term for the process of ice formation in a PMEA matrix because the two terms generally signify phase transition from condensed fluid (including glass) to crystalline. Therefore, at least when the water content is low as in the present case, the term “vapor deposition” or “re-vapor-deposition”⁷ might be more suitable.

Vapor deposition and re-vapor-deposition T s were 230 K and 211 K, respectively. The reason for re-vapor-deposition T of 211 K might be suppression of the diffusion of water molecules. This T might correspond to a balancing point between dissociation force from the polymer chain by the diffusion and restriction force by the HB. This T is the same as the temperature at which the change in A_{3280} during cooling became linearly related to T , strongly supporting the diffusion suppression.

Glass transition of the PMEA–water system should be mentioned here because the water diffusion in a polymer solid might be affected by movement of the polymer chain. T_g values of PMEA–water systems (0.2–36.0 wt% of water) have been reported to be $\sim$ 223 K, and starting T s of glass-to-rubber and rubber-to-glass transitions have been reported to be $\sim$ 220 K and $\sim$ 232 K, respectively.⁴ These temperatures are much higher than re-vapor-deposition T , 211 K. This fact indicates no relation of movement of the polymer chain to re-vapor-deposition. The vapor deposition T (230 K) is, on the other hand, very close to the starting T of rubber-to-glass transition, 232 K. In many cases, the activation energy of diffusion of a sorbate in a polymer matrix becomes low at temperatures below T_g ,¹² suggesting that movement of the polymer chain spatially (sterically) prevents the diffusion of sorbate and might prevent the self-association of sorbates. The association tendency of sorbed water, on the other hand, increases with decrease in temperature, which should be a thermodynamic requirement for any fluid. As a result, when the polymer drops into a glassy state, the water association might be accelerated. In the case of PMEA, the starting T of rubber-to-glass transition is lower than homogeneous nucleation T of normal water, 236 K.¹³ In this situation, the associated water might immediately crystallize when the number of associated water molecules becomes sufficient to form an ice nucleus by overcoming the water–polymer interfacial energy. After the ice nucleus has been formed, ice I_h might be grown by vapor deposition until 211 K. The reason for the starting T of re-vapor-deposition and ending T of vapor deposition (crystal growth) being the same can be well explained by suppression of the diffusion of water molecules.

In summary, so-called recrystallization of water in a PMEA matrix with a low water content was investigated using a vibrational spectroscopic method, which clearly indicated that the term “re-vapor-deposition” was more suitable than the term “recrystallization” for the process of ice formation during heating. Furthermore, the slow cooling induced the formation of ice during cooling, a process for which the term “vapor deposition” was also more suitable than the term “crystallization”. Starting temperatures of re-vapor-deposition and vapor deposition might be governed by the diffusion properties of water. The former might occur when the diffusion force of water molecules becomes larger than the restriction force by HB, and the latter might occur when the motion of the polymer chain is frozen during cooling. These processes of ice formation are clearly different from the general explanation for recrystallization/crystallization in concentrated aqueous solutions.³ However, such ice formation by re-vapor-deposition and vapor deposition in polymer solids might not be strange if we accept the following two assumptions: (1) water molecules sorbed into polymer solids tend to associate with each other by cooling, i.e., the association state of water is drastically changed by temperature, and (2) suppression of the diffusion of water molecules occurs at temperature where the restriction force by HB overcomes the dissociation force by diffusion of water molecules.

Acknowledgments. This work is supported by a Grant-in-Aid for Young Scientists (B: 20750175) from the Ministry of Education, Culture, Sports, Science and Technology of Japan and a Grant-in-Aid for Scientific Research (B: 19350055) from the Japan Society for the Promotion of Science.

Supporting Information Available: Experimental methods. This information is available free of charge via the Internet at <http://pubs.acs.org>.

References and Notes

- (1) (a) Brüeggeller, P.; Mayer, E.; *Nature* **1980**, 288b, 569. (b) Brüeggeller, P.; Mayer, E.; *Nature* **1982**, 298, 715.
- (2) Kim, W.-H.; McPhillen, M.; Hayes, J. M.; Small, G. J. *Chem. Phys. Lett.* **1983**, 207, 443.
- (3) (a) MacKenzie, A. P. *Phil. Trans. R. Soc. Lond. B.* **1977**, 278, 167. (b) Franks, F. In *Water: A Comprehensive Treatise*; Franks, F., Ed.; Plenum Press: New York, 1982; Vol. 7, pp 215–338.
- (4) Tanaka, M.; Motomura, T.; Ishii, N.; Shimura K.; Onishi, M.; Mochizuki, A.; Hatakeyama, T. *Polym. Int.* **2000**, 49, 1709.
- (5) (a) Tanaka, M.; Mochizuki, A.; Ishii, N.; Motomura, T.; Hatakeyama, T. *Biomacromolecules* **2002**, 3, 36. (b) Tanaka, M. and Mochizuki, A. *J. Biomed. Mater. Res. A* **2004**, 78A, 684. (c) Hirota E.; Tanaka, M.; Mochizuki A. *J. Adv. Sci.* **2005**, 17, 245.
- (6) Tanaka, M.; Motomura, T.; Anzai T.; Kasori Y.; Onishi, M.; Shiroya, T.; Shimura, K.; Mochizuki, A. *Biomaterials* **2000**, 21, 1471.
- (7) The term “re-vapor-deposition” means vapor deposition during heating and is an imitation of the term “recrystallization”. This is to avoid confusion with the term “vapor redeposition” frequently used in the field of solid surface processing via vapor deposition.
- (8) (a) Kusanagi, H.; Yukawa, S. *Polymer* **1994**, 35, 5637. (b) Ichikawa, K.; Mori, T.; Kitano, H.; Fukuda, M.; Mochizuki, A.; Tanaka, M. *J. Polym. Sci. Polym. Phys.* **2001**, 39, 2175. (c) Gemmei-Ide, M.; Motonaga T.; Kitano, H. *Langmuir* **2006**, 22, 2242. (d) Morita, S.; Tanaka, M.; Ozaki, Y. *Langmuir* **2007**, 23, 3750.
- (9) (a) Eisenberg, D.; Kauzmann, W. In *The Structure and Properties of Water*; Clarendon Press: London, 1969; Chapter 4. (b) Fukuda, M. *JCPPE J.* **2001**, 13, 105.
- (10) Givan, A.; Loewenschuss, A.; Nielsen, C. J. *J. Phys. Chem. B.* **1997**, 101, 8696.
- (11) Mallamace, F.; Broccio, M.; Corsaro, C.; Faraone, A.; Majolino, D.; Venuti, V.; Liu, L.; Mou, C.Y.; Chen, S.H. *Proc. Natl. Acad. Sci. USA* **2005**, 104, 424.
- (12) Takizawa, A.; Hamada, T.; Okada, H.; Kadota, S. *Polymer* **1974**, 15, 157.
- (13) (a) Hobbs, P. V. In *Ice Physics*; Clarendon Press: Oxford, U.K., 1974; pp 461–523. (b) Angell, C. A. In *Water: A Comprehensive Treatise*; Franks, F., Ed.; Plenum Press: New York, 1982; Vol. 7, pp 1–81.

Figure Captions

Figure 1. Infrared spectra for pure water (dotted line) and water sorbed into PMEA with a water content of 3.2 wt% at 298 K.

Figure 2. Temperature-dependence of infrared spectra for water sorbed into PMEA at a cooling rate of 5.0 K·min⁻¹ (left) and at a heating rate of 0.5 K·min⁻¹ (right). Top, original spectra; middle, contour map; bottom, *T*-dependence of *A*₃₅₉₀ and *A*₃₂₈₀.

Figure 3. Temperature-dependence of infrared spectra for water sorbed into PMEA at a cooling rate of 0.25 K·min⁻¹ (left) and at a heating rate of 0.5 K·min⁻¹ (right). Top, original spectra; middle, contour map; bottom, *T*-dependence of *A*₃₅₉₀ and *A*₃₂₈₀.

Figure 4. Temperature-dependence of infrared spectra for pure water at a cooling rate of 0.5 K·min⁻¹ (left) and at a heating rate of 0.5 K·min⁻¹ (right). Top, original spectra; bottom, *T*-dependence of *A*₃₂₈₀.

Figure 1. Gemmei-Ide & Kitano

Figure 2. Gemmei-Ide & Kitano

Figure 3. Gemmei-Ide & Kitano

Figure 4. Gemmei-Ide & Kitano

TOC Graphic